


Paul
Fr. Meade, MD
10:00
16 Feb 85
Fred

ADL Break
announcements
in news

critical location is perceptible.



A. under rising
angle
solid


B. Structure

S-2

light tan
dusty
dirty
dry

ADL BK
adobe hut

the critical location is perceptible




- A. above flat
- road
- B. ground
- A. up and across
- angle
- B. structures

S. 2
 1: dirt yellow
 pinkish
 fetid smell
 gravelly
 scuffling sound
 dry
 animal noise
 relatively low
 quadrangular
 flat top
 different level
 rambling
 AI Bk strange feeling

for Bk
 animal
 noise





interior Summary



area is dry, gravelly, has several bldgs, which are to
light yellow, tan, run-down, low, rectangular, flat roofed
relatively low cor, with flat tops, different levels, rambling

ADL Boock
wire rambling
part of no gate
Naco, AZ.

ADL Bk
facade

Center of interest is a building that has two
levels or stages, one on top of the other, but smaller in extent.
Other bldgs group around it, & there seems to be a structure
perhaps a parking area top of 2d stage

14




27 10/10/10

break

resume 10125


border, in No. Mexico desert Sonora




As of 8/4
like cobbles







Predominantly visible
structure/water tank



AOL Bk
Hermosilla

10:42 a.m.

22:42

